


AERIAL SOURCE: DigitalGlobe, 2007

FIGURE 4.5-34-A1

Newhall Ranch - RMDP/SCP EIS/EIR

**Alternative 3 Impacts to RMDP/SCP Vegetation Communities**





**Legend**

- RMDP Boundary
- SCP Boundary

**Impacts**

- Direct Permanent
- Direct Temporary
- Indirect Permanent

**Vegetation Communities**

- AGR = Agriculture
- AS = Alluvial scrub
- AWS = Arrow weed scrub
- BCW = Bulrush-cattail wetland
- BSS = Big sagebrush scrub
- BSS-CB = Big sagebrush scrub-California buckwheat
- CAM = Cismontane alkali marsh
- CC = Chamise chaparral
- CFWM = Coastal and valley freshwater marsh
- CGL = California annual grassland
- CHP = Undifferentiated chaparral
- CLOW = Coast live oak woodland
- CSB = California sagebrush scrub
- CSB-A = California sagebrush scrub-Artemisia
- CSB-BS = California sagebrush scrub-black sage
- CSB-CB = California sagebrush scrub-California buckwheat
- CSB-CHP = California sagebrush scrub-undifferentiated chaparral
- CSB-PS = California sagebrush scrub-purple sage
- CWW = California walnut woodland
- CYS = Coyote brush scrub
- DEV = Developed
- DL = Disturbed land
- EDS = Eriodictyon scrub
- GRG = Giant reed grassland
- HW = Herbaceous wetlands
- MES = Mexican elderberry scrub
- MFS = Mulefat scrub
- MOW = Mixed oak woodland
- PNGL = Purple needlegrass
- RW = River wash
- SCLORF = Southern coast live oak riparian forest
- SCWRF = Southern cottonwood-willow riparian forest
- SOC = Scrub oak chaparral
- SWS = Southern willow scrub
- TAM = Shrub tamarisk
- VOG = Valley oak/grass
- VOW = Valley oak woodland
- bCC = Burned chamise chaparral
- bCHP = Burned undifferentiated chaparral
- bCSB = Burned California sagebrush scrub
- bCSB-CHP = Burned California sagebrush scrub-undifferentiated chaparral
- dCSB-PS = Disturbed California sagebrush scrub-purple sage
- dMES = Disturbed Mexican elderberry scrub

0 500 1,000 2,000 Feet

APPROXIMATE SCALE IN FEET



AERIAL SOURCE: DigitalGlobe, 2007

FIGURE 4.5-34-A2

Newhall Ranch - RMDP/SCP EIS/EIR

Alternative 3 Impacts to RMDP/SCP Vegetation Communities





AERIAL SOURCE: DigitalGlobe, 2007

FIGURE 4.5-34-B1

Newhall Ranch - RMDP/SCP EIS/EIR

Alternative 3 Impacts to RMDP/SCP Vegetation Communities






AERIAL SOURCE: DigitalGlobe, 2007

FIGURE 4.5-34-B2

Newhall Ranch - RMDP/SCP EIS/EIR



**Alternative 3 Impacts to RMDP/SCP Vegetation Communities**



AERIAL SOURCE: DigitalGlobe, 2007

FIGURE 4.5-34-C1

Newhall Ranch - RMDP/SCP EIS/EIR

**Alternative 3 Impacts to RMDP/SCP Vegetation Communities**






AERIAL SOURCE: DigitalGlobe, 2007

FIGURE 4.5-34-C2

Newhall Ranch - RMDP/SCP EIS/EIR



**Alternative 3 Impacts to RMDP/SCP Vegetation Communities**



**Legend**



- RMDP Boundary
- SCP Boundary
- County Boundary

**Impacts**

- Direct Permanent
- Direct Temporary
- Indirect Permanent

**Vegetation Communities**

- AGR = Agriculture
- AS = Alluvial scrub
- BSS = Big sagebrush scrub
- CGL = California annual grassland
- CHP = Undifferentiated chaparral
- CSB = California sagebrush scrub
- CSB-A = California sagebrush scrub-Artemisia
- CSB-CB = California sagebrush scrub-California buckwheat
- DEV = Developed
- DL = Disturbed land
- HW = Herbaceous wetlands
- MFS = Mulefat scrub
- RW = River wash
- SCWRF = Southern cottonwood-willow riparian forest



AERIAL SOURCE: DigitalGlobe, 2007

FIGURE 4.5-34-D1

Newhall Ranch - RMDP/SCP EIS/EIR

**Alternative 3 Impacts to VCC Vegetation Communities**






FIGURE 4.5-34-D2

Newhall Ranch - RMDP/SCP EIS/EIR

**Alternative 3 Impacts to Entrada Vegetation Communities**





FIGURE 4.5-35-A1

Newhall Ranch - RMDP/SCP EIS/EIR

**Alternative 4 Impacts to RMDP/SCP Vegetation Communities**



**Legend**

- RMDP Boundary
- SCP Boundary

**Impacts**


- Direct Permanent
- Direct Temporary
- Indirect Permanent

**Vegetation Communities**

- AGR = Agriculture
- AS = Alluvial scrub
- AWS = Arrow weed scrub
- BCW = Bulrush-cattail wetland
- BSS = Big sagebrush scrub
- BSS-CB = Big sagebrush scrub-California buckwheat
- CAM = Cismontane alkali marsh
- CC = Chamise chaparral
- CFWM = Coastal and valley freshwater marsh
- CGL = California annual grassland
- CHP = Undifferentiated chaparral
- CLOW = Coast live oak woodland
- CSB = California sagebrush scrub
- CSB-A = California sagebrush scrub-Antemisia
- CSB-BS = California sagebrush scrub-black sage
- CSB-CB = California sagebrush scrub-California buckwheat
- CSB-CHP = California sagebrush scrub-undifferentiated chaparral
- CSB-PS = California sagebrush scrub-purple sage
- CWW = California walnut woodland
- CYS = Coyote brush scrub
- DEV = Developed
- DL = Disturbed land
- EDS = Eriodictyon scrub
- GRG = Giant reed grassland
- HW = Herbaceous wetlands
- MES = Mexican elderberry scrub
- MFS = Mulefat scrub
- MOW = Mixed oak woodland
- PNGL = Purple needlegrass
- RW = River wash
- SCLORF = Southern coast live oak riparian forest
- SCWRF = Southern cottonwood-willow riparian forest
- SOC = Scrub oak chaparral
- SWS = Southern willow scrub
- TAM = Shrub tamarisk
- VOG = Valley oak/grass
- VOW = Valley oak woodland
- bCC = Burned chamise chaparral
- bCHP = Burned undifferentiated chaparral
- bCSB = Burned California sagebrush scrub
- bCSB-CHP = Burned California sagebrush scrub-undifferentiated chaparral
- dCSB-PS = Disturbed California sagebrush scrub-purple sage
- dMES = Disturbed Mexican elderberry scrub

0 500 1,000 2,000 Feet

**APPROXIMATE SCALE IN FEET**



AERIAL SOURCE: DigitalGlobe, 2007

FIGURE 4.5-35-A2

Newhall Ranch - RMDP/SCP EIS/EIR

**Alternative 4 Impacts to RMDP/SCP Vegetation Communities**






AERIAL SOURCE: DigitalGlobe, 2007

FIGURE 4.5-35-B1

Newhall Ranch - RMDP/SCP EIS/EIR

Alternative 4 Impacts to RMDP/SCP Vegetation Communities






AERIAL SOURCE: DigitalGlobe, 2007

FIGURE 4.5-35-B2

Newhall Ranch - RMDP/SCP EIS/EIR



**Alternative 4 Impacts to RMDP/SCP Vegetation Communities**



AERIAL SOURCE: DigitalGlobe, 2007

FIGURE 4.5-35-C1

Newhall Ranch - RMDP/SCP EIS/EIR

Alternative 4 Impacts to RMDP/SCP Vegetation Communities






AERIAL SOURCE: DigitalGlobe, 2007

FIGURE 4.5-35-C2

Newhall Ranch - RMDP/SCP EIS/EIR



**Alternative 4 Impacts to RMDP/SCP Vegetation Communities**



**Legend**


- RMDP Boundary
- SCP Boundary
- County Boundary

**Impacts**

- Direct Permanent
- Direct Temporary
- Indirect Permanent

**Vegetation Communities**

- AGR = Agriculture
- AS = Alluvial scrub
- BSS = Big sagebrush scrub
- CGL = California annual grassland
- CHP = Undifferentiated chaparral
- CSB = California sagebrush scrub
- CSB-A = California sagebrush scrub-Artemisia
- CSB-CB = California sagebrush scrub-California buckwheat
- DEV = Developed
- DL = Disturbed land
- HW = Herbaceous wetlands
- MFS = Mulefat scrub
- RW = River wash
- SCWRF = Southern cottonwood-willow riparian forest



AERIAL SOURCE: DigitalGlobe, 2007

FIGURE 4.5-35-D1

Newhall Ranch - RMDP/SCP EIS/EIR

**Alternative 4 Impacts to VCC Vegetation Communities**



Z:\Projects\373801\Newhall Ranch\map\EIS-EIR





FIGURE 4.5-35-D2

Newhall Ranch - RMDP/SCP EIS/EIR

**Alternative 4 Impacts to Entrada Vegetation Communities**




AERIAL SOURCE: DigitalGlobe, 2007

FIGURE 4.5-36-A1

Newhall Ranch - RMDP/SCP EIS/EIR

**Alternative 5 Impacts to RMDP/SCP Vegetation Communities**





AERIAL SOURCE: DigitalGlobe, 2007

FIGURE 4.5-36-A2

Newhall Ranch - RMDP/SCP EIS/EIR

Alternative 5 Impacts to RMDP/SCP Vegetation Communities






AERIAL SOURCE: DigitalGlobe, 2007

FIGURE 4.5-36-B1

Newhall Ranch - RMDP/SCP EIS/EIR

Alternative 5 Impacts to RMDP/SCP Vegetation Communities






AERIAL SOURCE: DigitalGlobe, 2007

FIGURE 4.5-36-B2

Newhall Ranch - RMDP/SCP EIS/EIR



**Alternative 5 Impacts to RMDP/SCP Vegetation Communities**



AERIAL SOURCE: DigitalGlobe, 2007

FIGURE 4.5-36-C1

Newhall Ranch - RMDP/SCP EIS/EIR

Alternative 5 Impacts to RMDP/SCP Vegetation Communities






AERIAL SOURCE: DigitalGlobe, 2007

FIGURE 4.5-36-C2

Newhall Ranch - RMDP/SCP EIS/EIR



**Alternative 5 Impacts to RMDP/SCP Vegetation Communities**



**Legend**


- RMDP Boundary
- SCP Boundary
- County Boundary

**Impacts**

- Direct Permanent
- Direct Temporary
- Indirect Permanent

**Vegetation Communities**

- AGR = Agriculture
- AS = Alluvial scrub
- BSS = Big sagebrush scrub
- CGL = California annual grassland
- CHP = Undifferentiated chaparral
- CSB = California sagebrush scrub
- CSB-A = California sagebrush scrub-Artemisia
- CSB-CB = California sagebrush scrub-California buckwheat
- DEV = Developed
- DL = Disturbed land
- HW = Herbaceous wetlands
- MFS = Mulefat scrub
- RW = River wash
- SCWRF = Southern cottonwood-willow riparian forest



AERIAL SOURCE: DigitalGlobe, 2007

FIGURE 4.5-36-D1

Newhall Ranch - RMDP/SCP EIS/EIR

**Alternative 5 Impacts to VCC Vegetation Communities**






FIGURE 4.5-36-D2

Newhall Ranch - RMDP/SCP EIS/EIR

Alternative 5 Impacts to Entrada Vegetation Communities






FIGURE 4.5-37-A1

Newhall Ranch - RMDP/SCP EIS/EIR

**Alternative 6 Impacts to RMDP/SCP Vegetation Communities**



AERIAL SOURCE: DigitalGlobe, 2007

FIGURE 4.5-37-A2

Newhall Ranch - RMDP/SCP EIS/EIR

Alternative 6 Impacts to RMDP/SCP Vegetation Communities






AERIAL SOURCE: DigitalGlobe, 2007

FIGURE 4.5-37-B1

Newhall Ranch - RMDP/SCP EIS/EIR

Alternative 6 Impacts to RMDP/SCP Vegetation Communities






AERIAL SOURCE: DigitalGlobe, 2007

FIGURE 4.5-37-B2

Newhall Ranch - RMDP/SCP EIS/EIR



**Alternative 6 Impacts to RMDP/SCP Vegetation Communities**



AERIAL SOURCE: DigitalGlobe, 2007

FIGURE 4.5-37-C1

Newhall Ranch - RMDP/SCP EIS/EIR



**Alternative 6 Impacts to RMDP/SCP Vegetation Communities**




AERIAL SOURCE: DigitalGlobe, 2007

FIGURE 4.5-37-C2

Newhall Ranch - RMDP/SCP EIS/EIR

**Alternative 6 Impacts to RMDP/SCP Vegetation Communities**



**Legend**



- RMDP Boundary
- SCP Boundary
- County Boundary

**Impacts**

- Direct Permanent
- Direct Temporary
- Indirect Permanent

**Vegetation Communities**

- AGR = Agriculture
- AS = Alluvial scrub
- BSS = Big sagebrush scrub
- CGL = California annual grassland
- CHP = Undifferentiated chaparral
- CSB = California sagebrush scrub
- CSB-A = California sagebrush scrub-Artemisia
- CSB-CB = California sagebrush scrub-California buckwheat
- DEV = Developed
- DL = Disturbed land
- HW = Herbaceous wetlands
- MFS = Mulefat scrub
- RW = River wash
- SCWRF = Southern cottonwood-willow riparian forest



AERIAL SOURCE: DigitalGlobe, 2007

FIGURE 4.5-37-D1

Newhall Ranch - RMDP/SCP EIS/EIR

**Alternative 6 Impacts to VCC Vegetation Communities**





FIGURE 4.5-37-D2

Newhall Ranch - RMDP/SCP EIS/EIR

**Alternative 6 Impacts to Entrada Vegetation Communities**




AERIAL SOURCE: DigitalGlobe, 2007

FIGURE 4.5-38-A1

Newhall Ranch - RMDP/SCP EIS/EIR

Alternative 7 Impacts to RMDP/SCP Vegetation Communities



AERIAL SOURCE: DigitalGlobe, 2007

FIGURE 4.5-38-A2

Newhall Ranch - RMDP/SCP EIS/EIR

**Alternative 7 Impacts to RMDP/SCP Vegetation Communities**






AERIAL SOURCE: DigitalGlobe, 2007

FIGURE 4.5-38-B1

Newhall Ranch - RMDP/SCP EIS/EIR

Alternative 7 Impacts to RMDP/SCP Vegetation Communities






AERIAL SOURCE: DigitalGlobe, 2007

FIGURE 4.5-38-B2

Newhall Ranch - RMDP/SCP EIS/EIR



**Alternative 7 Impacts to RMDP/SCP Vegetation Communities**



AERIAL SOURCE: DigitalGlobe, 2007

FIGURE 4.5-38-C1

Newhall Ranch - RMDP/SCP EIS/EIR

**Alternative 7 Impacts to RMDP/SCP Vegetation Communities**





AERIAL SOURCE: DigitalGlobe, 2007


FIGURE 4.5-38-C2

Newhall Ranch - RMDP/SCP EIS/EIR

**Alternative 7 Impacts to RMDP/SCP Vegetation Communities**



Z:\Projects\373801\Newhall Ranch\arcmap\EIS-EIR



**Legend**



- RMDP Boundary
- SCP Boundary
- County Boundary

**Impacts**

- Direct Permanent
- Direct Temporary
- Indirect Permanent

**Vegetation Communities**

- AGR = Agriculture
- AS = Alluvial scrub
- BSS = Big sagebrush scrub
- CGL = California annual grassland
- CHP = Undifferentiated chaparral
- CSB = California sagebrush scrub
- CSB-A = California sagebrush scrub-Artemisia
- CSB-CB = California sagebrush scrub-California buckwheat
- DEV = Developed
- DL = Disturbed land
- HW = Herbaceous wetlands
- MFS = Mulefat scrub
- RW = River wash
- SCWRF = Southern cottonwood-willow riparian forest



AERIAL SOURCE: DigitalGlobe, 2007

FIGURE 4.5-38-D1

Newhall Ranch - RMDP/SCP EIS/EIR

**Alternative 7 Impacts to VCC Vegetation Communities**




FIGURE 4.5-38-D2

Newhall Ranch - RMDP/SCP EIS/EIR

**Alternative 7 Impacts to Entrada Vegetation Communities**




FIGURE 4.5-39  
 Newhall Ranch - RMDP/SCP EIS/EIR  
**Unique Landscape Features**



**Legend**

- RMDP Boundary
- SCP Boundary

**Regional Habitat Linkages**


- 1 - Santa Clara River Corridor
- 2 - Salt Creek Confluence
- 3 - Salt Creek High Country
- 4 - East Fork Salt Creek
- 5 - Potrero Canyon Salt Creek
- 6 - Potrero Canyon
- 7 - Long Canyon
- 8a - Humble Canyon
- 8b - Lion Canyon
- 8c - Exxon Canyon
- 8d - Dead End Canyon
- 8e - Middle Canyon
- 8f - Magic Mountain Canyon
- 9 - Chiquito Canyon
- 10 - San Martinez Grande Canyon
- 11 - Off-Haul Canyon
- 12 - Homestead Canyon
- 13- Castaic/Hasley Corridor

**Impacts**

- Direct Permanent
- Indirect Permanent

**Slope**

- Less than 25 Percent Slope
- 25 Percent Slope or Greater



APPROXIMATE SCALE IN MILES

IMAGE SOURCE: USGS 24K Quad




FIGURE 4.5-40

Newhall Ranch - RMDP/SCP EIS/EIR

**Alternative 2 Impacts to RMDP/SCP Regional Wildlife Connectivity Corridors**



Z:\Projects\373801\Newhall Ranch\arcmap\EIS-EIR



**Legend**

- RMDP Boundary
- SCP Boundary

**Regional Habitat Linkages**


- 1 - Santa Clara River Corridor
- 2 - Salt Creek Confluence
- 3 - Salt Creek High Country
- 4 - East Fork Salt Creek
- 5 - Potrero Canyon Salt Creek
- 6 - Potrero Canyon
- 7 - Long Canyon
- 8a - Humble Canyon
- 8b - Lion Canyon
- 8c - Exxon Canyon
- 8d - Dead End Canyon
- 8e - Middle Canyon
- 8f - Magic Mountain Canyon
- 9 - Chiquito Canyon
- 10 - San Martinez Grande Canyon
- 11 - Off-Haul Canyon
- 12 - Homestead Canyon
- 13- Castaic/Hasley Corridor

**Impacts**

- Direct Permanent
- Indirect Permanent

**Slope**

- Less than 25 Percent Slope
- 25 Percent Slope or Greater



APPROXIMATE SCALE IN MILES

IMAGE SOURCE: USGS 24K Quad




FIGURE 4.5-41

Newhall Ranch - RMDP/SCP EIS/EIR

**Alternative 3 Impacts to RMDP/SCP Regional Wildlife Connectivity Corridors**





**Legend**

- RMDP Boundary
- SCP Boundary

**Regional Habitat Linkages**


- 1 - Santa Clara River Corridor
- 2 - Salt Creek Confluence
- 3 - Salt Creek High Country
- 4 - East Fork Salt Creek
- 5 - Potrero Canyon Salt Creek
- 6 - Potrero Canyon
- 7 - Long Canyon
- 8a - Humble Canyon
- 8b - Lion Canyon
- 8c - Exxon Canyon
- 8d - Dead End Canyon
- 8e - Middle Canyon
- 8f - Magic Mountain Canyon
- 9 - Chiquito Canyon
- 10 - San Martinez Grande Canyon
- 11 - Off-Haul Canyon
- 12 - Homestead Canyon
- 13 - Castaic/Hasley Corridor

**Impacts**

- Direct Permanent
- Indirect Permanent

**Slope**

- Less than 25 Percent Slope
- 25 Percent Slope or Greater



APPROXIMATE SCALE IN MILES

IMAGE SOURCE: USGS 24K Quad




FIGURE 4.5-42

Newhall Ranch - RMDP/SCP EIS/EIR

**Alternative 4 Impacts to RMDP/SCP Regional Wildlife Connectivity Corridors**





**Legend**

- RMDP Boundary
- SCP Boundary

**Regional Habitat Linkages**


- 1 - Santa Clara River Corridor
- 2 - Salt Creek Confluence
- 3 - Salt Creek High Country
- 4 - East Fork Salt Creek
- 5 - Potrero Canyon Salt Creek
- 6 - Potrero Canyon
- 7 - Long Canyon
- 8a - Humble Canyon
- 8b - Lion Canyon
- 8c - Exxon Canyon
- 8d - Dead End Canyon
- 8e - Middle Canyon
- 8f - Magic Mountain Canyon
- 9 - Chiquito Canyon
- 10 - San Martinez Grande Canyon
- 11 - Off-Haul Canyon
- 12 - Homestead Canyon
- 13- Castaic/Hasley Corridor

**Impacts**

- Direct Permanent
- Indirect Permanent

**Slope**

- Less than 25 Percent Slope
- 25 Percent Slope or Greater



APPROXIMATE SCALE IN MILES

IMAGE SOURCE: USGS 24K Quad




FIGURE 4.5-43

Newhall Ranch - RMDP/SCP EIS/EIR

**Alternative 5 Impacts to RMDP/SCP Regional Wildlife Connectivity Corridors**





**Legend**

- RMDP Boundary
- SCP Boundary

**Regional Habitat Linkages**


- 1 - Santa Clara River Corridor
- 2 - Salt Creek Confluence
- 3 - Salt Creek High Country
- 4 - East Fork Salt Creek
- 5 - Potrero Canyon Salt Creek
- 6 - Potrero Canyon
- 7 - Long Canyon
- 8a - Humble Canyon
- 8b - Lion Canyon
- 8c - Exxon Canyon
- 8d - Dead End Canyon
- 8e - Middle Canyon
- 8f - Magic Mountain Canyon
- 9 - Chiquito Canyon
- 10 - San Martinez Grande Canyon
- 11 - Off-Haul Canyon
- 12 - Homestead Canyon
- 13- Castaic/Hasley Corridor

**Impacts**

- Direct Permanent
- Indirect Permanent

**Slope**

- Less than 25 Percent Slope
- 25 Percent Slope or Greater



APPROXIMATE SCALE IN MILES

IMAGE SOURCE: USGS 24K Quad




FIGURE 4.5-44

Newhall Ranch - RMDP/SCP EIS/EIR

**Alternative 6 Impacts to RMDP/SCP Regional Wildlife Connectivity Corridors**





**Legend**

- RMDP Boundary
- SCP Boundary

**Regional Habitat Linkages**


- 1 - Santa Clara River Corridor
- 2 - Salt Creek Confluence
- 3 - Salt Creek High Country
- 4 - East Fork Salt Creek
- 5 - Potrero Canyon Salt Creek
- 6 - Potrero Canyon
- 7 - Long Canyon
- 8a - Humble Canyon
- 8b - Lion Canyon
- 8c - Exxon Canyon
- 8d - Dead End Canyon
- 8e - Middle Canyon
- 8f - Magic Mountain Canyon
- 9 - Chiquito Canyon
- 10 - San Martinez Grande Canyon
- 11 - Off-Haul Canyon
- 12 - Homestead Canyon
- 13- Castaic/Hasley Corridor

**Impacts**

- Direct Permanent
- Indirect Permanent

**Slope**

- Less than 25 Percent Slope
- 25 Percent Slope or Greater



APPROXIMATE SCALE IN MILES

IMAGE SOURCE: USGS 24K Quad




FIGURE 4.5-45

Newhall Ranch - RMDP/SCP EIS/EIR

**Alternative 7 Impacts to RMDP/SCP Regional Wildlife Connectivity Corridors**






IMAGE SOURCE: USGS 24K Quad

FIGURE 4.5-46

Newhall Ranch - RMDP/SCP EIS/EIR

**RMDP/SCP Arroyo Toad Species Occurrences**



AERIAL SOURCE: DigitalGlobe, 2007

FIGURE 4.5-47

Newhall Ranch - RMDP/SCP EIS/EIR

**Arroyo Toad Habitat**